

# Tallinn Concert Hall

## PA & LIGHTNING EQUIPMENT LIST

Venue location : Tallinn, Estonia Str 9, 10145, Estonia

N59°25'58''

E24°45'9''

[info@kontserdimaja.ee](mailto:info@kontserdimaja.ee)

### Capacity:

Floor 1029, 1st balcony 491, 2nd balcony 308

**Total - 1829**

In combined mode - seated 1517, standing 400

**Total - 2117**

**ALEXELA**  
Kontserdimaja

PA	Qty
Meyer Sound M1D	13
Meyer Sound Mèlodie	10
Meyer Sound MICA	20
Meyer Sound Lina	4
Meyer Sound MYA-UPA	2
Meyer Sound Processor Galileo Galaxy	2
Meyer Sound RMS Software	1
Meyer Sound Subwoofer 700 HP	6
Meyer Sound UPA-1P	4
FOH	
DIGIDESIGN VENUE D-SHOW system with FOH ja stage rack 72/16	1
MAC PRO with PROTOOLS recording software	1
Tascam MD/CD-1 MKII	1
Act.splitter XTA DS 800	1
EQ XTA CQ 600	1
Stage	
19", 8HE stagebox, Transformer split (24ch)	3
Y24LBH6E5 -24 ch multicore fanouts Harting-XLR male, 5m	6
Y24LCH6E5 -24 ch multicore fanouts Harting-XLR male, 5m	2
ST120LHF10, 12 ch stagebox, XLR- Harting 10m	4
ST120LHF15, 12 ch stagebox, XLR- Harting 15m	3
ST120LHF20, 12 ch stagebox, XLR- Harting 20m	2
Harting extension cable 20m	1
Harting extension cable 30m	2
Monitors	
Meyer Sound stage monitor USM-100P	4
Mics	
EV RE-20	2
Neumann KM 185	8
Sennheiser e604	4
Sennheiser MD421	4
Shure Beta 52	2
Shure Beta 58	8
Shure Beta 87	3
Shure Beta 91	1
Shure MX 412D/S	1
Shure SM 57	5
XLR-XLR cables 2,5m	
XLR-XLR cables 5m	
XLR-XLR cables 10m	
Jack-Jack cables 3m	

<b>Radiomics - Spekter Q5 (740-814 MHz)</b>	
Clipmic Mipro MU53	2
DPA 4088 Cardioid Headband headset	3
Shure Antenna/Power distro UA 845E	1
Shure UHF Wideband directional antenna UA870WB	2
Shure UHF-R Bodypack transmitter UR-1	3
Shure UHF-R Dual wireless Receiver UR4D 740-760 MHz	4
Shure UHF-R Handheld transmitter UR2/Beta 58	3
Shure UHF-R Handheld transmitter UR2/KSM9	2
<b>Wireless in ear monitor</b>	
Mipro UHF directional antenna	2
Sennheiser EK 300 IEM G3 receiver	2
Sennheiser SR 300 IEM G3 transmitter	2
<b>Accessories</b>	
Audiobox - USB I/O	1
Audiobox - DIBOX	2
Audiobox - ISO SPLITTER 1 in,2out	2
Audiobox - PRO DIBOX duo	4
Radial - IC-1 Balanced line isolator	4
Passive DI Box	4
Clinometer - LAP-TEQ display module	1
Clinometer - LAP-TEQ sensor module	3
<b>Stands</b>	
K&M Conductor note stand with LED light	1
K&M keyboard stand with stacker	2
K&M mic stand 210/9	20
K&M mic stand 259	10
K&M mic table stand	3
K&M music tray	25
K&M musical stands with LED lights	70
K&M guitar stand	8
K&M Round Base black stand	4
<b>Intercom</b>	
Mic/line in activemonitor Yamaha MS 101 III	2
On Off Mic Mipro MM-107	2
<b>Clearcom</b>	
Clear-Com 1-ch beltback RS 601	10
Clear-Com 2-ch beltback RS 602	1
Clear-Com 2-ch main station CS-702	1
Clear-Com 2-ch Mount Headset/Speaker Station	1
Clear-Com Call Signal Flasher	2
Clear-Com double ear Headset CC-260	10
Clear-Com Telephone-style handset	3
<b>Carring PA (possible for sidefill)</b>	
Meyer Sound subwoofer UMS-1P	2
Meyer Sound UP-Junior 1P	2
Mixer Yamaha MG16/FX	1
Speaker stand	2
Tascam MD/CD-1	1
<b>DJ equipment</b>	
Pioneer CDJ-900NXS	2
Pioneer CDJ-800MK2	2
Pioneer DJM-800	1
Technics SL1210MK5 7500	2

<b>Lightning Desk and Dimmers</b>	
ELC "Focushand - 2" (wireless DMX remote)	1
Generic dimmer channels 2,4 Kw	240
High End Systems "Roadhog"	not in use
Avolites Quartz with wing + ARTNET	1
NA DigiNet S 1 to 4 ARTNET to DMX splitter	2
Wireless solutions "DMX transmitter-reciever"	2/2
<b>Luminaires</b>	
RJ "329HF" (Fresnel 2kW/2,5kW)	22
RJ "329HPC" (PC 2kw/2,5kW)	32
RJ "613SX" (Profile 1000W, angle 28 - 54 degrees)	16
RJ "614SX" (Profile 1000W, angle 16 - 35 degrees)	24
RJ "714SX2" (Profile 2000W, angle 15 - 40 degrees)	12
RJ "CF329" (Barndoors 2kw)	54
RJ "IWSX755" Iris	10
<b>1KW (Fresnel,PC,PAR,CYC)</b>	
LITECRAFT "PAR64, black, normal"	48
RJ "306LF" (Fresnel 1kW)	16
RJ "306LPB" (PC 1 kW)	16
<b>Blinder</b>	
Flash 4000L PAR36 120V 650W	6
<b>Followspots</b>	
RJ "Super-Korrigan" (1,2kW HMI, iris, dimmer, stands)	2
<b>Moving lights</b>	
MARTIN "Quantum WASH"	20
MARTIN "MAC VIPER Performance"	8
MARTIN MAC Encore™ Performance CLD	16
<b>Background light</b>	
Chroma Q "Colorforce48"	20
<b>Accessories</b>	
LOOK SOLUTIONS "Unique hazer"	2
MARTIN "AF-1" DMX fan	2
DOUGHTY "Studio 3500" (stand 3,5 m with max 40 kg)	4
DOUGHTY "Floorstand"	12
<b>Video</b>	
Barco UDX 4K40	1
Lens 0,98` DC2K Zoom (2,8-4,5):1	1
Lens 0,98` DC2K Zoom (1,4 - 2,05):1	1
DOREMI Labs.Inc DCP2000	1
Dolby Laboratories, Inc CP650	1
Dolby Laboratories, Inc DMA8P	1
Barco DP2000	not in use
Barco ACS 2048	1
Panasonic PT-D6000 videoprojector	1
Vario 240x180 screen, front & back comp.	1
Samsung 50` plasma screen with floor stand	2
Pioneer dv-610av-k DVD player	1
Composite signal switcher 1:3	2
Extron P/2 DA1 Peaker	1
Extron Scaling Presentation Switthcer	1
Lightware DVI Fiber Optical Extender (Receiver/transmitter)	not in use
Lindy Video to VGA	3
Smart SLX TX/RX system	3
VGA Distribution amplifer 1:4	2

<b>Conference system</b>	
Microcue Presenter Control	2
Limitimer speaker timer system	1
Laser pointer	1

<b>Cabels, power adapters</b>	
16CEE cable, 20m	6
32CEE cable, 20m	4
32CEE → 2 x 16CEE	2
16CEE → 3 x schuko	2
32CEE → 3 x schuko	2
SOCAPEX extension cord 10m	4
SOCAPEX extension cord 25m	2
SOCAPEX extension cord 30m	4
SOCAPEX → 6 x shuko (box)	4
SOCAPEX → 6 x shuko (outlet)	4
SOCAPEX → 6 x shuko (plug)	2
220V extension cord 1,5m	
220V extension cord 2m	
220V extension cord 3m	
220V extension cord 5m	
220V extension cord 10m	
220V extension cord 15m	
220V extension cord 20m	
Cable protector 2 ch	20

<b>Risers</b>	
riser 2x1 m	35
riser 1x1 m	4
riser 2x0,5 m	4
riser 1x0,5 m	4
adjustable leg 40-65 cm	24
adjustable leg 65-100 cm	40
leg 20 cm	160
leg 40 cm	120
leg 60 cm	100
leg 40 cm with weel	8
leg 60 cm with weel	8
stair 20cm	4
stair 40cm	4
stair 60cm	2
stair 80cm	2
handrail for 2 stairs	4

Dancing floor - 1,6 mm thick, 20 m x 1,6 m	8 pcs
--	-------

CONCERT GRAND PIANO ESTONIA, model 274, ser.no 7579, manufactured 08.2009, piano chair	1
Electric Piano Yamaha CLP 330M (mahagon), piano chair	1

**Venue is not providing a sound monitor system!**  
**(maja ei paku heli monitor süsteemi)**  
**Technical equipment amount depends on event needs**  
**(tehnika kogus võib erineda vastavalt ürituse iseloomule)**

STAGE POWER :

