

Tallinn Concert Hall

PA & LIGHTNING EQUIPMENT LIST

Venue location : Tallinn, Estonia Str 9, 10145, Estonia

N59°25'58''

E24°45'9''

info@kontserdimaja.ee

Capacity:

Floor 1029, 1st balcony 491, 2nd balcony 308

Total - 1829

In combined mode - seated 1517, standing 400

Total - 2117

ALEXELA
Kontserdimaja

| PA | Qty |
|---|-----|
| Meyer Sound M1D | 13 |
| Meyer Sound Mèlodie | 10 |
| Meyer Sound MICA | 20 |
| Meyer Sound Lina | 4 |
| Meyer Sound MYA-UPA | 2 |
| Meyer Sound Processor Galileo Galaxy | 2 |
| Meyer Sound RMS Software | 1 |
| Meyer Sound Subwoofer 700 HP | 6 |
| Meyer Sound UPA-1P | 4 |
| FOH | |
| DIGIDESIGN VENUE D-SHOW system with FOH ja stage rack 72/16 | 1 |
| MAC PRO with PROTOOLS recording software | 1 |
| Tascam MD/CD-1 MKII | 1 |
| Act.splitter XTA DS 800 | 1 |
| EQ XTA CQ 600 | 1 |
| Stage | |
| 19", 8HE stagebox, Transformer split (24ch) | 3 |
| Y24LBH6E5 -24 ch multicore fanouts Harting-XLR male, 5m | 6 |
| Y24LCH6E5 -24 ch multicore fanouts Harting-XLR male, 5m | 2 |
| ST120LHF10, 12 ch stagebox, XLR- Harting 10m | 4 |
| ST120LHF15, 12 ch stagebox, XLR- Harting 15m | 3 |
| ST120LHF20, 12 ch stagebox, XLR- Harting 20m | 2 |
| Harting extension cable 20m | 1 |
| Harting extension cable 30m | 2 |
| Monitors | |
| Meyer Sound stage monitor USM-100P | 4 |
| Mics | |
| EV RE-20 | 2 |
| Neumann KM 185 | 8 |
| Sennheiser e604 | 4 |
| Sennheiser MD421 | 4 |
| Shure Beta 52 | 2 |
| Shure Beta 58 | 8 |
| Shure Beta 87 | 3 |
| Shure Beta 91 | 1 |
| Shure MX 412D/S | 1 |
| Shure SM 57 | 5 |
| XLR-XLR cables 2,5m | |
| XLR-XLR cables 5m | |
| XLR-XLR cables 10m | |
| Jack-Jack cables 3m | |

| Radiomics - Spekter Q5 (740-814 MHz) | |
|---|----|
| Clipmic Mipro MU53 | 2 |
| DPA 4088 Cardioid Headband headset | 3 |
| Shure Antenna/Power distro UA 845E | 1 |
| Shure UHF Wideband directional antenna UA870WB | 2 |
| Shure UHF-R Bodypack transmitter UR-1 | 3 |
| Shure UHF-R Dual wireless Receiver UR4D 740-760 MHz | 4 |
| Shure UHF-R Handheld transmitter UR2/Beta 58 | 3 |
| Shure UHF-R Handheld transmitter UR2/KSM9 | 2 |
| Wireless in ear monitor | |
| Mipro UHF directional antenna | 2 |
| Sennheiser EK 300 IEM G3 receiver | 2 |
| Sennheiser SR 300 IEM G3 transmitter | 2 |
| Accessories | |
| Audiobox - USB I/O | 1 |
| Audiobox - DIBOX | 2 |
| Audiobox - ISO SPLITTER 1 in,2out | 2 |
| Audiobox - PRO DIBOX duo | 4 |
| Radial - IC-1 Balanced line isolator | 4 |
| Passive DI Box | 4 |
| Clinometer - LAP-TEQ display module | 1 |
| Clinometer - LAP-TEQ sensor module | 3 |
| Stands | |
| K&M Conductor note stand with LED light | 1 |
| K&M keyboard stand with stacker | 2 |
| K&M mic stand 210/9 | 20 |
| K&M mic stand 259 | 10 |
| K&M mic table stand | 3 |
| K&M music tray | 25 |
| K&M musical stands with LED lights | 70 |
| K&M guitar stand | 8 |
| K&M Round Base black stand | 4 |
| Intercom | |
| Mic/line in activemonitor Yamaha MS 101 III | 2 |
| On Off Mic Mipro MM-107 | 2 |
| Clearcom | |
| Clear-Com 1-ch beltback RS 601 | 10 |
| Clear-Com 2-ch beltback RS 602 | 1 |
| Clear-Com 2-ch main station CS-702 | 1 |
| Clear-Com 2-ch Mount Headset/Speaker Station | 1 |
| Clear-Com Call Signal Flasher | 2 |
| Clear-Com double ear Headset CC-260 | 10 |
| Clear-Com Telephone-style handset | 3 |
| Carring PA (possible for sidefill) | |
| Meyer Sound subwoofer UMS-1P | 2 |
| Meyer Sound UP-Junior 1P | 2 |
| Mixer Yamaha MG16/FX | 1 |
| Speaker stand | 2 |
| Tascam MD/CD-1 | 1 |
| DJ equipment | |
| Pioneer CDJ-900NXS | 2 |
| Pioneer CDJ-800MK2 | 2 |
| Pioneer DJM-800 | 1 |
| Technics SL1210MK5 7500 | 2 |

| Lightning Desk and Dimmers | |
|---|------------|
| ELC "Focushand - 2" (wireless DMX remote) | 1 |
| Generic dimmer channels 2,4 Kw | 240 |
| High End Systems "Roadhog" | not in use |
| Avolites Quartz with wing + ARTNET | 1 |
| NA DigiNet S 1 to 4 ARTNET to DMX splitter | 2 |
| Wireless solutions "DMX transmitter-reciever" | 2/2 |
| Luminares | |
| RJ "329HF" (Fresnel 2kW/2,5kW) | 22 |
| RJ "329HPC" (PC 2kw/2,5kW) | 32 |
| RJ "613SX" (Profile 1000W, angle 28 - 54 degrees) | 16 |
| RJ "614SX" (Profile 1000W, angle 16 - 35 degrees) | 24 |
| RJ "714SX2" (Profile 2000W, angle 15 - 40 degrees) | 12 |
| RJ "CF329" (Barndoors 2kw) | 54 |
| RJ "IWSX755" Iris | 10 |
| 1KW (Fresnel,PC,PAR,CYC) | |
| LITECRAFT "CYC-1000" (cyclights 1000W, asymmetrical) | 32 |
| LITECRAFT "PAR64, black, normal" | 48 |
| RJ "306LF" (Fresnel 1kW) | 16 |
| RJ "306LPB" (PC 1 kW) | 16 |
| Blinder | |
| Flash 4000L PAR36 120V 650W | 6 |
| Followspots | |
| RJ "Super-Korrigan" (1,2kW HMI, iris, dimmer, stands) | 2 |
| Moving lights | |
| MARTIN "Quantum WASH" | 20 |
| MARTIN "MAC VIPER Performance" | 8 |
| MARTIN MAC Encore™ Performance CLD | 16 |
| Background light | |
| Chroma Q "Colorforce48" | 20 |
| Accessories | |
| LOOK SOLUTIONS "Unique hazer" | 2 |
| MARTIN "AF-1" DMX fan | 2 |
| DOUGHTY "Studio 3500" (stand 3,5 m with max 40 kg) | 4 |
| DOUGHTY "Floorstand" | 12 |
| Video | |
| Barco UDX 4K40 | 1 |
| Lens 0,98'' DC2K Zoom (2,8-4,5):1 | 1 |
| Lens 0,98'' DC2K Zoom (1,4 - 2,05):1 | 1 |
| DOREMI Labs.Inc DCP2000 | 1 |
| Dolby Laboratories, Inc CP650 | 1 |
| Dolby Laboratories, Inc DMA8P | 1 |
| Barco DP2000 | not in use |
| Barco ACS 2048 | 1 |
| Panasonic PT-D6000 videoprojector | 1 |
| Vario 240x180 screen, front & back comp. | 1 |
| Samsung 50`` plasma screen with floor stand | 2 |
| Pioneer dv-610av-k DVD player | 1 |
| Composite signal switcher 1:3 | 2 |
| Extron P/2 DA1 Peaker | 1 |
| Extron Scaling Presentation Swittcher | 1 |
| Lightware DVI Fiber Optical Extender (Receiver/transmitter) | 1 |
| Lindy Video to VGA | 3 |
| Smart SLX TX/RX system | 3 |
| VGA Distribution amplifer 1:4 | 2 |

| Conference system | |
|--------------------------------|---|
| Microcue Presenter Control | 2 |
| Limitimer speaker timer system | 1 |
| Laser pointer | 1 |

| Cabels, power adapters | |
|------------------------------|----|
| 16CEE cable, 20m | 6 |
| 32CEE cable, 20m | 4 |
| 32CEE → 2 x 16CEE | 2 |
| 16CEE → 3 x schuko | 2 |
| 32CEE → 3 x schuko | 2 |
| SOCAPEX extension cord 10m | 4 |
| SOCAPEX extension cord 25m | 2 |
| SOCAPEX extension cord 30m | 4 |
| SOCAPEX → 6 x shuko (box) | 4 |
| SOCAPEX → 6 x shuko (outlet) | 4 |
| SOCAPEX → 6 x shuko (plug) | 2 |
| 220V extension cord 1,5m | |
| 220V extension cord 2m | |
| 220V extension cord 3m | |
| 220V extension cord 5m | |
| 220V extension cord 10m | |
| 220V extension cord 15m | |
| 220V extension cord 20m | |
| Cable protector 2 ch | 20 |

| Risers | |
|--------------------------|-----|
| riser 2x1 m | 35 |
| riser 1x1 m | 4 |
| riser 2x0,5 m | 4 |
| riser 1x0,5 m | 4 |
| adjustable leg 40-65 cm | 24 |
| adjustable leg 65-100 cm | 40 |
| leg 20 cm | 160 |
| leg 40 cm | 120 |
| leg 60 cm | 100 |
| leg 40 cm with weel | 8 |
| leg 60 cm with weel | 8 |
| stair 20cm | 4 |
| stair 40cm | 4 |
| stair 60cm | 2 |
| stair 80cm | 2 |
| handrail for 2 stairs | 4 |

| | |
|--|-------|
| Dancing floor - 1,6 mm thick, 20 m x 1,6 m | 8 pcs |
|--|-------|

| | |
|--|---|
| CONCERT GRAND PIANO ESTONIA, model 274, ser.no 7579, manufactured 08.2009, piano chair | 1 |
| Electric Piano Yamaha CLP 330M (mahagon), piano chair | 1 |

Venue is not providing a sound monitor system!
(maja ei paku heli monitor süsteemi)
Technical equipment amount depends on event needs
(tehnika kogus võib erineda vastavalt ürituse iseloomule)

STAGE POWER :

